

In this assignment, you will implement your first spell checker. For this version, you are going to implement the spell checking with a Linked List. You can NOT use the STL list for your linked list, instead you are going to write the linked list code and then use it in the spell checking.

You will be given a dictionary, in which the words are in random order. The words in the dictionary are unique, but some may have capital letters. The dictionary is large, having over 125,000 words in it. Reading the file in word by word is easy. The dictionary will be entered into the linked list data structure you wrote.

The book has almost a million words in it! This will be a bit more complicated, since the words read in may contain ASCII characters that are not in the dictionary. So, you will have read each word and then send it to a “clean word” method. When reading the book, a word will be defined as between two spaces (or end of line). I suggest you read using >> instead of getline, since it will read based on spaces. You will need to write a “clean word” function that will any unnecessary ASCII characters from the word, see specs below. You will need to use the clean word method to sanitize books’ words and the dictionary words (before adding them to the dictionary data structure). You will also be timing this as well.

“Clean word” method:

- This must be implemented as a separate method and in the same file as the main method, so it can be called by either a dictionary word or book word.
- The function will remove any non-letters, except an apostrophe (‘) and numbers from the word.
- All letters will be changed to lower case.
- It will then return the updated word. The word could now be blank. The calling method will be needed to deal with this possibility.

Program requirements:

1. You must write a linked list data structure class and it must be a template class, as described in the Advanced Data Type (ADT) lecture. It **MUST** be in its own file (not the main cpp file), likely a .h file. The node class must also be in its own file and it must also be a template class. It must also include the required methods listed in the ADT lecture. You cannot use the STL list, map, order, pair, or hash. You can, however, use other STL methods and functions as needed.
2. “Clean word” method must be implemented as described above.
 - Any word that starts with as a non-letter (after returning from the clean word function) will be skipped for spell checking. It is not in the dictionary.
 - Any word that comes back blank is not checked nor counted as skipped.
3. You will use the time code provided to time the spell checking. The time to initialize the dictionary IS NOT part of the timing. It starts at the point where you open the book file.
4. Output the following information. See the next page for the required format of the output.
 - Time to spell check
 - Number of words spell correctly
 - And the Number of compares, and average number of compares for spelled correctly.
 - Number of words not spelled correctly

- And the Number of compares, and average number of compares for misspelled
 - Number of words skipped.
5. You must write out a file of all the misspelled words (every instance of the misspelled word too) to a file called misspelled.txt Print each word on a separate line. They should be printed in the order they were found. This should be done after the timer has been stopped, otherwise it will affect your runtime.
 6. The insert/find/remove/getSize/isEmpty functions must be in the linklist class and **must use these names**. You can NOT use an insert/find/remove/getSize/isEmpty functions that are out of the class.
 7. Your code must be commented and have good coding style (variable naming, indentation, etc) and structure. Points will be taken for poor structure and bad code style.
 8. No matter what else you do, there must be a string.compare operation to determine that the word matches a word in the dictionary. You can't skip the compare.

Specifically forbidden items:

1. You may not preload the book into any data structure. You are to read ONE word at a time and check it against the dictionary data structure.
2. You may not add any other dictionaries or dictionary files and must use the dictionary provided. Your program may not use any external information about the dictionary, other information provided in the dictionary itself.
3. You may not even include the following STL libraries in any of your code: list, map, pair, hash, unordered_map, and unordered_set
4. The dictionary data structure must be ONE complete data structure class, you cannot as an example declare 5 separate data structures for the dictionary in the main code. This would be done inside the dictionary data structure class itself.
5. The Clean word method MUST be a separate method and may NOT be part of the dictionary data structure class.
6. You may not have any ASCII based numbers in your code or check based on an ASCII number.
 - While you can use the ASCII table, you are not allowed to hard code any ASCII table numbers into your code. So, you can use (int)'a', but not 97.
7. Comparing strings with the == anywhere in your code is strictly forbidden, which includes !=, <, <=, >, and >=.
8. For run time, the Dictionary should take no longer than a minute or two to insert into the linklist.

Output section: No other output, besides what is below, number is RED are expected to be different, but use the same formatting. **Removing any of your debugging output for the final program.**

```
dictionary size 133168
Done checking and these are the results
finished in time: 1306.53
There are 950068 words found in the dictionary
      172150028 compares. Average: 181
There are 27075 words NOT found in the dictionary
      19383592 compares. Average: 715
There are 2544 words not checked.
```

Run time for extra credit.

To compete for extra credit, **first the program must run correctly and meet all the specifications above**. The extra credit will be applied to Exam 1.

- 1 extra credit points, finishing in under 40 minutes on the Pi device.
 - Roughly 7 and half minutes or less on the linux system, but all timings will be on the Pis
- additional 2 extra points for finishing in under 25 minutes.
 - Roughly 5 minutes or less on the Linux system.
- Finally, 2 addition extra points if you can beat my time (so a total of 5 extra points). Which is listed in the format section. On the linux system, it ran in 98.64 seconds (1.6 minutes).

Turn in:

Hard copy: (THIS MUST BE TYPED)

A cover page with the following information

Cosc 2030

Program #1

your Name

Repo name

Competing: YES or NO

in large font at the top of the page. At the bottom of the page, include a non-empty statement of help delivered and help received. It is OK to state that no help was given or received. It is **NOT** ok to omit the statement of help.

Soft Copy:

1. Copy **ONLY** any .cpp and .h files to the repo. Use this link to create the repo:
<https://classroom.github.com/a/ESzwbMOd>
 - **DO NOT INCLUDE** executable programs and output files. Only the .cpp and .h/.hpp files. (Or any. vscode files).
2. Edit readme.md file, add the following:
 - Name
 - Competing: YES or NO
 - And list your best run time.
 - How to compile it on the linux systems if not competing or Pi systems if competing
 - List anything that doesn't work (that you know of)
3. Lastly, verify all the necessary files are on the github website. If the files are missing, then you **DID NOT** turn it in.